

CONNECTICUT DEPARTMENT OF TRANSPORTATION



GRISWOLD

BR. NO. 00663


PRESTON

GROTON

Plans For

DISTRICT 2 BRIDGE PRESERVATION AT DECK JOINTS

Towns of
NORWICH
LISBON



WATERFORD

GENERAL NOTES:

1. CONSTRUCTION SPECIFICATIONS:

Connecticut Department of Transportation, Standard Specifications for Roads, Bridges and Incidental Construction, Form 816, dated 2004;

Supplemental Specifications, dated July 2014; and Special Provisions

2. PLANS SHOW APPROXIMATE SCALES. COORDINATE SURVEY SYSTEM MAPPING NOT USED.

STATE OF CONNECTICUT

M A S S A C H U S E T T S

3. VERTICAL DATUM - NONE

SITE NO.	BRIDGE NO.	TOWN	ROUTE	LOCATION
1	00663	NORWICH/LISBON	ROUTE 12	ROUTE 12 OVER THE SHETUCKET RIVER

DISCLAIMER

DESIGN BY:

LOCATION PLAN

SUBSET NO. SUBSET TITLE SUBSET NO. SUBSET TITLE O1 GENERAL O2 REVISIONS O3 STRUCTURE O4 TRAFFIC CT DOT TRAFFIC STANDARDS *SUBSET SHEET COUNT SH

LOCATION OF PROJECT

*THE INITIAL SUBSET
SHEET COUNT DOES
NOT INCLUDE ADDENDUMS
AND CHANGE ORDERS

IT IS THE RESPONSIBILITY OF EACH BIDDER AND ALL OTHER INTERESTED PARTIES TO OBTAIN ALL BIDDING RELATED INFORMATION AND DOCUMENTS FROM OFFICAL SOURCES WITHIN THE DEPARTMENT.

PERSONS AND/OR ENTITIES WHICH REPRODUCE AND/OR MAKE SUCH INFORMATION AVAILABLE BY ANY MEANS ARE NOT AUTHORIZED BY THE DEPARTMENT TO DO SO AND MAY BE LIABLE FOR CLAIMS RESULTING FROM THE DISSEMINATION OF UNOFFICAL, INCOMPLETE AND/OR INACCURATE INFORMATION.

AND CHANGE ORDERS	INCO	OMP
LIST OF DRAWING SUBSET 01 - GENER		
DRAWING TITLE	DRAWING NO	
TITLE SHEET	G-1	1
GENERAL NOTES AND LEGEND	G-2	1
DETAILED ESTIMATE SHEET	G-3	
		1



DESIGNED BY:		
KLEINFELDER Bright People. Right Solution		
2 WALL ST., STE. 450 MANCHESTER, NH		
03101-1518		

EAST

LYME

LYME


Plans For
DISTRICT 2
BRIDGE PRESERVATION
AT DECK JOINTS

Town NORWICH, LISBON

172-411


G-1 SHEET NO. 01.01

CIVIL:



REVISION DESCRIPTION

REV. DATE



SHEET NO. Plotted Date: 10/24/2014

THE INFORMATION, INCLUDING ESTIMATED QUANTITIES OF WORK, SHOWN ON THESE SHEETS IS BASED ON LIMITED INVESTIGATIONS BY THE STATE AND IS IN NO WAY WARRANTED TO INDICATE THE CONDITIONS OF ACTUAL QUANTITIES OF WORK WHICH WILL BE REQUIRED.

D. BILODEAU M. CROTEAU

SCALE AS NOTED





DISTRICT 2 AT DECK JOINTS

NORWICH/LISBON

GENERAL NOTES AND LEGEND

172-411

G-2

01.02

DRAWING NO.

BRIDGE PRESERVATION

GENERAL DRAFTING:

"PROSECUTION AND PROGRESS." REINFORCEMENT: ALL REINFORCEMENT SHALL BE ASTM A615 AND GALVANIZED AFTER FABRICATION TO THE REQUIREMENTS OF ASTM A767 CLASS 1 INCLUDING SUPPLEMENTAL

CONCRETE COVER: REINFORCEMENT SHALL HAVE TWO INCHES OF COVER, WHERE POSSIBLE, UNLESS DIMENSIONED OTHERWISE.

TRAFFIC: ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE TRAFFIC SUBSET, AND

THE SPECIAL PROVISIONS "MAINTENANCE AND PROTECTION OF TRAFFIC" AND

SPECIFICATIONS: CONNECTICUT DEPARTMENT OF TRANSPORTATION FORM 816 (2004),

DESIGN SPECIFICATIONS: AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS 5TH EDITION

- SHALL ATTAIN A 1 HOUR MINIMUM COMPRESSIVE STRENGTH OF 2,500 PSI

DIMENSIONS: WHEN DECIMAL DIMENSIONS ARE GIVEN TO LESS THAN THREE DECIMAL

EXISTING DIMENSIONS: DIMENSIONS OF THE EXISTING STRUCTURES SHOWN ON THESE PLANS ARE FOR GENERAL REFERENCE ONLY. THE CONTRACTOR SHALL TAKE ALL FIELD MEASUREMENTS NECESSARY TO ASSURE PROPER FIT OF THE FINISHED WORK AND SHALL

- SHALL ATTAIN A MINIMUM COMPRESSIVE STRENGTH OF 3,500 PSI PRIOR TO

- SHALL ATTAIN A 28 DAY COMPRESSIVE STRENGTH OF 5,000 PSI, AND

PLACEMENT OF "MEMBRANE WATERPROOFING (TORCH-APPLIED)"

SUPPLEMENTAL SPECIFICATIONS DATED JULY 2014 AND SPECIAL PROVISIONS.

DEPARTMENT OF TRANSPORTATION BRIDGE DESIGN MANUAL (2003).

REINFORCEMENT: (ASTM A615 GRADE 60)(GALVANIZED) fy = 60 KSI

PLACES, THE OMITTED DIGITS SHALL BE ASSUMED TO BE ZEROS.

ASSUME FULL RESPONSIBILITY FOR THEIR ACCURACY.

INCLUDING INTERIMS THROUGH 2010, AS SUPPLEMENTED BY THE CONNECTICUT

GENERAL NOTES:

LIVE LOAD: HL 93

REQUIREMENTS.

ALLOWABLE DESIGN STRESSES:

HIGH EARLY STRENGTH CONCRETE:

ITEM NUMBER	22024 284394	\$\f\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	400°C230) \(\frac{\zeta_0}{\zeta_0}\)	Z	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\$ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		Z (8) [5] [0]	No.	10055	7 /50/50/50/50/50/50/50/50/50/50/50/50/50/	\$ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	13001/20	7, 30,000		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	0071862	7230011	⁷ 2200134													
ITEM	S REMOVAL OF HMA WEARING SURFACE	CUT BITUMINOUS CONCRETE PAVEMENT	JOINT AND CRACK SEALING OF	DAVEMENT MATERIAL FOR TACK COAT				REPLACE JC	VARIABI PATCH		MEMBRANE WATERPROOFING (SHEET)(TORCH		Z CONSTRUCTION FIELD O	TRAFFICPERSON O (UNIFORMED FLAGGER)	MAINTENANCE AND C PROTECTION OF TRAFFIC		D BARRICADE WARNING OF LIGHTS - HIGH	TRAF	CONSTRUCTION BARRICADE TYPE III	42" TRAFFIC CONE	CONSTRUCTION SIGNS - TYPE III REFLECTIVE SHEETING	CONST - BRIG SHEETI													
BRIDGE NO.																																			
00663	90	346 1	.6 35	4 12	21	26	6 63	13	3 11	91	58	11	2	320	1	1	180	26	2	26	42	97													
SUBTOTAL	90	346 1	.6 35	4 12	21	26	6 63	13	B 11	91	58	11	2	320	1	1	180	26	2	26	42	97									+				+
UNASSIGNED	10	4	2 21	L 3	4	4	3	7	4	4	7			15		0		+		+	3	_													
P = FEDERAL AID FOR THE PROPERTY OF THE PROPER	100	350 1	.8 37	5 15	25	30) 66	20) 15	95	65	15	2	335	1	1	190	30	2	30	45	102													
NOT A LEGAL [ELTN11101	IV					1				DESIG	NER/DRAFT	TER:	: A 1 1								ONN	SIC BLO	GNATURE/ .OCK:	4666888		P	PROJECT TITLE:				TOWN:			PROJECT NO

-	-	-	-	THE INFORMATION, INCLUDING ESTIMATE
-	-	-	-	QUANTITIES OF WORK, SHOWN ON THES SHEETS IS BASED ON LIMITED
-	•	-	-	INVESTIGATIONS BY THE STATE AND IS IN NO WAY WARRANTED TO INDICATE
-	ı	-	-	THE CONDITIONS OF ACTUAL QUANTITIES
-	•	-	-	OF WORK WHICH WILL BE REQUIRED.
-	_	-	_	

SHEET NO. Plotted Date: 10/24/2014

REVISION DESCRIPTION

REV. DATE

D. BILODEAU
CHECKED BY:
M. CROTEAU



Filename: ...\01.03-HW_MSH_172_411_Detailed Estimate.dgn



DISTRICT 2
BRIDGE PRESERVATION
AT DECK JOINTS

NORWICH/LISBON

DETAILED ESTIMATE
SHEET

172-411
DRAWING NO.
G-3
SHEET NO.
01.03